Wednesday, 4/19/2006 1:08:40 PM

Kim Johnston

Process Sheet

Customer Job Number : CU-DAR001 Dart Helicopters Services

Estimate Number

: 26741

P.O. Number

: 10496

This Issue Prsht Rev.

First Issue

Written By

Previous Run

:NIA

: 4/19/2006

: NIA : 25687

: PURCHASED PARTS

Checked & Approved By

Comment

Reformat; Rev B

Drawing Name

: SUPPORT GUSSET (350) BASKET

Part Number : D2325

Drawing Number

: D2325 REV B

Project Number Drawing Revision

: N/A : B

:NIA Material : 4/26/2006 **Due Date**

Qty:

50 Um:

Each

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

Description: **PURCHASING**

Comment: PURCHASING

PG

Issue P/O: 1043

Email or ship DXF file to vendorMake as per Dwg D2325,

Material: 304 SS .063" Thick Material release note required

C LOGOY/20 Support Gusset (350 Bask

2.0

D2325F

Comment: Qty.:

1.0000 Each(s)/Unit Total:

50.0000 Each(s)

Support Gusset (350 Bask PACKAGING 1

3.0

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Recieive & Inspect for Transit Damage

Ensure Material Release Note is attached

4.0

QC6

DIMENSIONAL CHECK

Comment: DIMENSIONAL CHECK

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary



50

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHA	NGES					
DATE	STEP	PRO	OCEDURE CHAP		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
	PAR #:	Fault Categ	ory:	NCR	: Yes (No DQA		Date: <u><</u>	36/05/08	
					•	QA: N/	C Closed	:	_ Date: _	
NCR:			WORK ORDE	R NON-CONFOR	MANCE	(NCR)			
	Description of NC			Section B		Verific	ation	Approval	Approval	
	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	on	Sign & Date	Section	n C	Chief Eng	QC Inspector
								ŧ		

NOTE: Date & initial all entries

Date: User." Wednesday, 4/19/2006 1:08:40 PM

Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: SUPPORT GUSSET (350) BASKET

Job Number: 26741

Part Number: D2325

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

PACKAGING 1

PACKAGING RESOURCE #1

Comment: PACKAGIN Identify and Stock Location: WS

DOCUMENT CONTROL

7.0 DC

Comment: DOCUMENT CONTROL Inspection Level 21


4 da 0508

Job Completion

Dart Ae	rospace	Ltd								
W/O:		· .	WC	ORK ORDER CHANG	ES					
DATE	STEP	PRO	ı	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	<u> </u>	PAR #:	Fault Cate	gory:	NCR:	Yes N	io DQA:	•	Date:	<u> </u>
				ge.y.					Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCR)				
		Description of NC		Corrective Action Section	on B		Verification		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	•	Sign & Date	Section		Chief Eng	QC Inspector
rige-	मही कहा हिं									

NCR:		WORK ORDER NON-CONFORMANCE (NCR)													
		Description of NC		Corrective Action Section B	Verification	Approval	Approval								
DATE		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	Approval QC Inspector							
ri,	- हिंह														
				•											

NOTE: Date & initial all entries



- MATERIAL: AISI 304/316 SS SHEET, 0.063 THICK (REF DART SPEC. M304S16GA) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- ALL DIMENSIONS ARE IN INCHES BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright @ 1994 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Paragraph 4.3 by TDV Aniagetechnik GmbH (Nouneu nooy as PLOUBZYPCOOL

Inspection Certificate EN10204-3.18

MILL TEST CERTIFICAT MATERIAL AISI304 No.28 Finish SPECIFICATION ASTM AZGOLATED ASME SAZ40/SA480 L/C NO. CERTIFICATE NO. 20051187 DATE OF ISSUE 11

E_mail: tgbxg@tisco.com.cn CUSTOMER

http://www.tisco.com.cn

Shanxi Talgang Stainless Steel CO.,LTD Membe of Taiyuan Iron and Steel (Group) Co.,LTD.

NO.2 jimcaoping, Taiyuan, Shanxi, P.R. China

TEL: (0351)3013328 FAX: (0351)3017816

CONTRACT NO.

DATA OF

OLBERT

1187

2005/11/20

Product

Mehing furnace

inspectors stamp

Mark of the Manufacturer

COIL

E+VOD

Shanxi Talyuan Stainless Steel Co., ltd

NO.	Heat No.	Coil No.	Quantity		Dimens	Weight (kg)	
8.	4505286	5A9-493-1ZD	1	IIGA	× 48	×C	7009
ç	Y506019	5A9-485-1ZB	1:	IIGA	× 48	×¢	6679
10	4505044	5A9-458-1ZY	1	140A	× 48	×C	5461
t)	4505274	5A9-450-12D	1	HOA	× 45	× C	4#32
1 2	4505271	3A10-44-3ZJ	1	16QA	× 48	×C	8906
13	4503050	5A10-53-3Z1	1	16QA	× 48	x C	8617
4	4505393	5A10-70-4ZY	. 1	14GA	× 48	x C	8642

Chemical Composition

Hicet No.	C	Si	Mn	P	S	Cr	Ni	Cv	Al	Mo	N
4505286	0.060	0.476	1,400	0.017	0.003	18.170	3.020	0.010	0.010	6.010	0.05
Y506619	0.050	0.350	0.990	0.032	0.004	18.300	\$ 090	0,440	0.006	0.120	0.070
450 5 044	0.060	0.450	1,370	0.019	0.002	18.200	8.120	0,010	0.010	0.010	0.050
4505072	0.060	- 0.520	1.320	0.017	0.002	18.150	8,120	0.010	0.010	0.010	0,04
4505071	0.060	0.470	1.320	0.016	0.003	18.170	8.110	0.010	0.010	0.010	0,04
4505/250	0.050	0.480	1,290	0.014	0.002	18.220	8.040	0.010	0.010	0.010	0.04
4503.493	0.070	0.480	1.260	- 0.017	0.002	18.200	8.070	0.510	0.010	0.010	0,640

Mechanical Propertices

	Tensile R m	R POZ Yleido JA	Ren Yield on	Elengetion	Corrosion	Hardness					
Test No.	N/mm²	N/mm²	N/mm²	A5%	Tests	HRB	HY	HRC			
450: 28 6-T	635	282		55		84 - 83					
Y 3 C501 9-T	650	266		53		18					
450:014.1	675	307		59		83 - 83		:			
450327 4-T	690	299		56		86-85					
4505271-T	700	326		54			186 - 186				
450505 0-T	695	202	C.	57			190 - 122	*			
45(5393-T	680	(5) N 59/ (No.	50		86 - 85					

Surface and dimensions controlled:

Work Inspecto

P60124PC001V 3042B .062X48 HT 4505271 4505050

Pager 2 of 3

MATERIAL TEST/INSPECTION CERTIFICATE

DIVOICE NO. FOSMEII

200

KINNEAPOLIS

INTEGRIS METALS

PAGE 006/006

3/21/2006 7:02

COMMODITY : PRIME COLD ROLLED STAINLESS STEEL SHEET

工廠:品雜剪路竹鄉價資格845號 345, SEON AN RD. LU CHU HELANG

KAOHSTING TAIWAN R.O.C. TEL:407)6972385 PAX:107)6973006 CERTIFICATE NO. FOSMBLI

DATE OF ISSUE 12/20/2005

PAGE 23

SPECIFICATION: AISI 394

CUSTOMER : INTEGRIS METALS LTD.

CONTONENT .	The state of the s				Physical Properties						Chemical Composition									
i .			11/4	:	1 1 1		Tensile Test				l									
			Weight (N.W.)				l					<u> </u>	<u> </u>			(%)				
ITEMNO.	SIZE	NO.	(N.	W.J	Heat No.	BD NO.	<u> </u>		L-50 m							li		_		
	· ·				1 1 1		Y.5.	T.S.	EL	HRB	HY	C	Si	Ma	۴	S	Mi	G	N	
			KGS	1.83	1 !		(dunn)	(NJmm)	(%)			x100	x100	×LOO	x1000	x3000	x100	#300	x 100	
A181 304, NO.4 (2	SIC) PINISH, WITH	100 h	IIC. FILM	ON MAI	SIDE, WITH	H BACK-PASS, SL	TTED I	EDGB.	- 1											
7425-3530	18GA\48"X144"	1	1,435	3,164	YU139529	48318564-12		655	53	83	164	4.6	51	99	35	В	895	1896	2.2	
7426-3539	18GA\60"X120"	.6	3,424	3,139	YU137844	4B518469A-11	308	701	50	85	185	4.7	50	117	31	5	604	1813	3	
7428-6159	16GA\48"X 96"	1	1,445	3,186	YU189710	4B\$18697-14	297	639	62	84	168	3.6	49	110	34	3	812	1818	3.2	. 4
7426-5159	18GA\48"X 96"	1	1,445	3,186	YU139710	4BS18697-15	297	639	52	84	168	3.6	49	110	34	3	812	1818	3.2	
7428-5159	16GA145 X 96	h 1	1,445	3,186	YU139710	4BS18697-15	297	639	52	86	166	3.6	49	110	34	3	812	1818	3.2	١.
7426-6289	186A\48"X120"	ヤı !	1,462	3,223	YU389710	4BS18697-17	297	639	62	84	165	3.6	49	110	34	3	812	1818	8.2	
7426-6288	16GA\48"X120"	1	1,482	3,223	YU339710	4B918697-18	297	639	52	84	188	3.6	49	110	34	· 8	812	1818	3.2	
7426-6288	16GA\48"X120"	1	1,454	3,228	YU139710	4BS18697-19	297	639	52	84	168	3.6	49	110	54	8	812	1818	3.2	l
7426-6343	160A160"X 96"	1	1,440	3,175	YU140033	4B818975B-11	295	674	51	84	168	3.8	49	116	372	11	805	1804	2.7	[
7426-6353	16GA\60"X120"	1	1,418	3,126	YU140033	4B818975B-16	295	674	51	84	168	3.8	49	116	32	13	805	1804	2.7	
7426-6858	160A\60"X120"	1	1,195	2,636	YU140033	4BS18975B-17	295	674	51	84	168	3.8	49	116	32	13	805	1804	2.7	
7426-6963	1901A\60"X144"	1	1,376	3,030	YU140083	4BS18976B-12	295	674	51	84	168	3.5	49	116	32	n	806	1804	27	ļ · · · ·
7426-6368	16GA\60"X144"	1	1,374	3,029	YU140033	4BS18975B-13		674	51	84	166	3.8	49	116	32	11	805	1804	2.7	}
7426-9049	14GA\48"X120"	[1	1,426	3,144	YU140207	4BS20605A-11		704	49	88	175	5.5	51	125	35	9	808	1818	1.8	
7426-9049	14GA\48"X120"	1	1,421	8,123	YU140207	4BS20605A-12		704	49	85	176	5.5	51	125	35	9	808	1818	1.8	
7428-9049	14GA\48"X120"	1	1,421	3,133	YU140207	4B920005A-13		704	45	86	175	5.5	51	125	35	9	808	1818	1.8	
7426-9265	14GA\60"X120"	1	1,442	3,179	YU140018	48619451A-11		672	50	85	173	4.9	47	118	323	10	804	1830	2.8	
7427-4844	12GA\48"K120"	1	1,862	8,003	YU235779	4B816646A-113		641	63	84	168	4.6	48	118	35	4	816	1825	3.4	l
7427-4844	12GA\48"X120"	1	1,952	3,003	YU236779	4B518646A-114	7.57	643	53 52	84	186	4.8	48	118	35	4	814	1893	3.4	
7427-7166	11GA\45"X 96"	3	1,473	3,247	YU140191	4B520468A-113		672		84	167	4.8	53	127	32	5	804	1806	3.1	
7427-7166	11GA\48"K 96"]]	1,478	3,247	YU140191	4B820468A-114		678	52	84	167	4.8	53	127	82	6 ·	804	1806	3.1	
7427-7177	11GA\48"K)20"	1 1	1,308	2,884	YU236346	4BS20446A-211		655	51	83	162	Ł.I	49	124	33	7	810	1817	3	1
7437-7177	11GA\48"X120"	3	1,313	2,895	YU235346	4B\$20446B-119		653	81	63	162	4.1	49	124	33	- 7.0	810	1817	8	ĺ
7427-7177	13GA\48"K120"	1.0	1,312	2,892	YU286846	4B820446B-116		656	51	83	162	1.1	40	124	333	80 F 7	810	1817	, A	i
7427-7177	11GA\48"X120"	1 1	1,310	2,901	YU140191	4ES204888-211		673	52	84	167	4.8	53	127	82	5	804	1806	3.1	1
7427-7177	11GA/48 X120"	3	1,316	2,801	YU140191	4B\$204586-X12		673	52	84	167	4.8	53	127	32	5	804	1806	3,1	Į.
7426-8420	18GA\38"X\44"] 3	1,468	8,203	YU286224	4BS20618-314		652	54	84	168	4.2	62	128	33	8	802	1815	3.3	Š
7426-3420	15GA\36"X::4"	1 1	1,453	3,203	YU266224	42820618-116	EOE	652	34	35	163	1.3	52	126	33	8	602	1815	المن ا	<u> </u>
		26	39,285	56,499			33													

NO MERCURY CONTAMINATION WE HEREBY CERTIFY THAT THE NATIONAL DESCRIBED HEREBILIES

MEED MADE IN ACCORDANCE WITH THE MULES OF THE MILE CERTIFICATE.

• PRIME MATERIAL NO DONGS, NO DENTS, NO SCRATCHES

P.O. NO. 487691 (VANCOUVER)

Bend test good for all Heat NO.

SALES CONTRACT NUMBER: POSIDE 1
 DECUMENTARY CREDIT NUMBER: ILCMSP903165

YIER MAU CORF.

272